



TAPE MEASURE

PRODUCT ALBUM

The Measure Tape Specialist

2024



DEVASSADY®

Company Introduction



Shangqiu Europus Measure Tools Co., Ltd. was established on January 9, 1997, located in the Zhixin 1st Road , Industrial Development Zone, Yucheng County, Shangqiu City, covering an area of 34000 m² . It is one of the largest tape measure manufacturers in China.

We always adhere to the principle of "Customer First, Stable Quality, Continuous Improvement, Trustworthiness". After 26 years of continuous development, we have over 200 employees now and an annual production of 10 million measuring tapes. We have a comprehensive management system, the introduction and implementation of ERP management have ensured the company's strategic objectives of stability, efficiency, and long-term development.

The company has all the advanced production equipment and technology for measuring tapes, including mold development and production workshop, injection workshop, blades production and printing workshop, spring production workshop, assembly workshop, quality control department, etc. The processing and production of key parts are controlled by the computer, which ensures the integrity and reliability of product quality.

1 Production Workshop



2 Mould manufacturing department



3 Plastic injection workshop



4 Paint workshop



5 Assembling workshop





The company has passed the European (NMO) **MID** certification, **BSCI** certification, **ISO 9001:2008** certification. We sincerely welcome the cooperation of domestic and foreign customers, and will provide high quality products and the best service.



BUSINESS PHILOSOPHY



- Customer Oriented
- Steady Quality
- Continuous Improvement
- We Are Trustworthy

ISO9001 CE MID BSCI JIS

www.europustools.com



BLADE GRADUATION



Metric Graduation
(PR-H)



European MID Metric
(PR-E)



European MID Metric
Two-side printing
(PR-I)



Continuous Metric
Graduation
(PR-I)



Inch Graduation
(PR-K)



Inch Graduation
(PR-C)



Inch/Metric Graduation
(PR-D)



Inch/Metric Graduation
(PR-G)



Inch/Metric Graduation
(PR-O)



Tai-Scale/Metric
(PR-L)



Fortune Teller's Tape
(PR-J)



BLADE STAND-OUT

Blade width 	 Horizontal stand-out	 Vertical stand-out
13mm	1.2m~1.4m	1.7m
16mm	1.5~1.7m	2.2m
16mm Magnet hook	1.4~1.6m	2.1m
19mm	1.7~1.9m	2.8m
19mm Magnet hook	1.6~1.8m	2.7m
25mm	2.3~2.5m	3.6m
25mm Magnet hook	2.2~2.4m	3.5m

Indication tolerance mm <small>From the foot of the blade medial or lateral lead to accurate measurement</small> 		MID II		MID II
	0~100(10cm)	$\leq \pm 0.7$		0~2000(2m) $\leq \pm 0.9$
	0~200(20cm)	$\leq \pm 0.7$		0~3000(3m) $\leq \pm 1.1$
	0~300(30cm)	$\leq \pm 0.7$		0~4000(4m) $\leq \pm 1.3$
	0~400(40cm)	$\leq \pm 0.7$		0~5000(5m) $\leq \pm 1.5$
	0~500(50cm)	$\leq \pm 0.7$		0~6000(6m) $\leq \pm 1.7$
	0~600(60cm)	$\leq \pm 0.7$		0~7000(7m) $\leq \pm 1.9$
	0~700(70cm)	$\leq \pm 0.7$		0~8000(8m) $\leq \pm 2.1$
	0~800(80cm)	$\leq \pm 0.7$		0~9000(9m) $\leq \pm 2.3$
	0~900(90cm)	$\leq \pm 0.7$		0~10000(10m) $\leq \pm 2.5$
	0~1000(100cm)	$\leq \pm 0.7$		0~15000(15m) $\leq \pm 3.5$



Bi-color coating Two-side printing

1. Easy recognition with different color on different side.



front side



back side

2. Same scale on both sides or different scale on different side



High-quality environmental friendly water dissolved resin coating materials are applied on the blade with options of traditional white and yellow, and more fashionable fluorescence colors, all coating materials meet the basic requirements of PAHs and REACH.

Yellow



White



Fluorescence





Hook Type

1. Magnet Hook



2. Non-slip Hook



3. Regular Hook



➤ Co-Molded

Tape Measure



NEW DESIGN

FC19 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



super wear resistant



Metal Axis

It offers longer product life expectancy than plastic axis



Nylon Coating

Super abrasive resistance and rust-proof nylon coating blade



Item No.	Metric	Inch
	Length/Width	Length/Width
FC19-3016	3m/16mm	10ft/5/8"
FC19-5019	5m/19mm	16ft/3/4"
FC19-5025	5m/25mm	16ft/1"
FC19-7525	7.5m/25mm	25ft/1"
FC19-8025	8m/25mm	26ft/1"
FC19-1025	10m/25mm	33ft/1"



SELF-LOCK


NEW DESIGN

FC58 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing



Metal Axis
It offers longer product life expectancy than plastic axis



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade



Shock Absorbing Bumper

Item No.	external dimension	Metric	Inch
	LxWxHmm	Length/Width	Length/Width
FC58-5019	63x64x34mm	5m/19mm	16ft/3/4"
FC58-5025	63x64x37.4mm	5m/25mm	16ft/1"
FC58-7525	71x71x37.4mm	7.5m/25mm	25ft/1"
FC58-1025	79x79x37.4mm	10m/25mm	33ft/1"

NEW DESIGN

FC15 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



2 stop



Metal Axis

It offers longer product life expectancy than plastic axis



Nylon Coating

Super abrasive resistance and rust-proof nylon coating blade

Comfortable Feel



Item No.	Metric	Inch
	Length/Width	Length/Width
FC 15-3016	3m/16mm	10ft/5/8"
FC 15-5019	5m/19mm	16ft/3/4"
FC 15-5025	5m/25mm	16ft/1"
FC 15-7525	7.5m/25mm	25ft/1"
FC 15-8025	8m/25mm	26ft/1"
FC 15-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

NEW DESIGN

FC16 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



2 stop



Metal Axis

It offers longer product life expectancy than plastic axis



Nylon Coating

Super abrasive resistance and rust-proof nylon coating blade

Comfortable Feel



Item No.	Metric	Inch
	Length/Width	Length/Width
FC 16-3016	3m/16mm	10ft/5/8"
FC 16-5019	5m/19mm	16ft/3/4"
FC 16-5025	5m/25mm	16ft/1"
FC 16-7525	7.5m/25mm	25ft/1"
FC 16-8025	8m/25mm	26ft/1"
FC 16-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper


NEW DESIGN

FC17 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



2 stop



Metal Axis

It offers longer product life expectancy than plastic axis



Nylon

Nylon Coating

Super abrasive resistance and rust-proof nylon coating blade



Item No.	Metric	Inch
	Length/Width	Length/Width
FC17-3016	3m/16mm	10ft/5/8"
FC17-5019	5m/19mm	16ft/3/4"
FC17-5025	5m/25mm	16ft/1"
FC17-7525	7.5m/25mm	25ft/1"
FC17-8025	8m/25mm	26ft/1"
FC17-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

NEW DESIGN

FC18 Series

- Co-molded rubber case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



2 stop



Metal Axis
It offers longer product life expectancy than plastic axis



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade



Item No.	Metric	Inch
	Length/Width	Length/Width
FC18-3016	3m/16mm	10ft/5/8"
FC18-5019	5m/19mm	16ft/3/4"
FC18-5025	5m/25mm	16ft/1"
FC18-7525	7.5m/25mm	25ft/1"
FC18-8025	8m/25mm	26ft/1"
FC18-1025	10m/25mm	33ft/1"



SELF-LOCK

➤ Rubber Jacket

Tape Measure



PROFESSIONAL

High Performance
Comfortable Feel
Novel

NEW DESIGN

FC08 Series

- Rubber jacket case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing



Metal Axis
It offers longer product life expectancy than plastic axis



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade



Item No.	Metric	Inch
	Length/Width	Length/Width
C08-3016	3m/16mm	10ft/5/8"
C08-5019	5m/19mm	16ft/3/4"
C08-5025	5m/25mm	16ft/1"
C08-7525	7.5m/25mm	25ft/1"
C08-8025	8m/25mm	26ft/1"
C08-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

NEW DESIGN

C16 Series

- Rubber jacket case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing



SELF-LOCK



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade



Shock Absorbing Bumper

Item No.	external dimension	Metric	inch
	LxWxHmm	Length/Width	Length/Width
C16-5019	64x64x35mm	5m/19mm	16ft/3/4"
C16-5025	64x64x40mm	5m/25mm	16ft/1"
C16-7525	74x74x38mm	7.5m/25mm	25ft/1"
C16-1025	80x80x43mm	10m/25mm	33ft/1"



NEW DESIGN

C12 Series

- Rubber jacket case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing.



2 stop



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade.



Item No.	Metric	Inch
	Length/Width	Length/Width
C12-3016	3m/16mm	10ft/9/8"
C12-5019	5m/19mm	16ft/3/4"
C12-5025	5m/25mm	16ft/1"
C12-7525	7.5m/25mm	25ft/1"
C12-8025	8m/25mm	26ft/1"
C12-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

NEW DESIGN

C21 Series

- Rubber jacket case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing.



SELF-LOCK



Nylon Coating
Super abrasive resistance and rust-proof nylon coating blade.



Item No.	Metric	Inch
	Length/Width	Length/Width
C21-3016	3m/16mm	10ft/5/8"
C21-5019	5m/19mm	16ft/3/4"
C21-5025	5m/25mm	16ft/1"
C21-7525	7.5m/25mm	25ft/1"
C21-8025	8m/25mm	26ft/1"
C21-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

C25 Series

- Rubber jacket case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Double Sided Printing
It is more convenient for using with double sided printing.



2 stop



SELF-LOCK



Item No.	Metric	Inch
	Length/Width	Length/Width
C25-3016	3m/16mm	10ft/5/8"
C25-5019	5m/19mm	16ft/3/4"
C25-5025	5m/25mm	16ft/1"
C25-7525	7.5m/25mm	25ft/1"
C25-8025	8m/25mm	26ft/1"
C25-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

PROFESSIONAL

High Performance
Comfortable Feel
Novel

Comfortable Feel



ABS Case
TAPE MEASURE

NEW DESIGN

F86 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.

Comfortable Feel



HIGH STAND-OUT



Double Sided Printing
It is more convenient for using with double sided printing



Metal Axis
It offers longer product life expectancy than plastic axis



Shock Absorbing Bumper

Item No.	Metric	Inch
	Length/Width	Length/Width
F86-3016	3m/16mm	10ft/1/2"
F86-5019	5m/19mm	16ft/3/4"
F86-5025	5m/25mm	16ft/1"
F86-7525	7.5m/25mm	25ft/1"
F86-1025	10m/25mm	33ft/1"

NEW DESIGN

F87 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



2 stop



Double Sided Printing
It is more convenient for using with double sided printing.



Metal Axis
It offers longer product life expectancy than plastic axis.

Comfortable Feel



Shock Absorbing Bumper

Item No.	Metric	Inch
	Length/Width	Length/Width
F87-3016	3m/16mm	10ft/1/2"
F87-5019	5m/19mm	16ft/3/4"
F87-5025	5m/25mm	16ft/1"
F87-7525	7.5m/25mm	25ft/1"
F87-1025	10m/25mm	33ft/1"



F70 Series



- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Item No.	external dimension	Metric	inch
	LxWxHmm	Length/Width	Length/Width
F70-5019	64x64x35mm	5m/19mm	16ft/3/4"
F70-5025	64x64x40mm	5m/25mm	16ft/1"
F70-7525	74x74x38mm	7.5m/25mm	25ft/1"
F70-1025	80x80x43mm	10m/25mm	33ft/1"



ABS Case Tape Measure



F68 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.

Item No.	Metric	inch
	Length/Width	Length/Width
F68-3016	3m/16mm	10ft/1/2"
F68-5019	5m/19mm	16ft/3/4"
F68-5025	5m/25mm	16ft/1"
F68-7525	7.5m/25mm	25ft/1"
F68-1025	10m/25mm	33ft/1"



F81 Series

ABS Case Tape Measure



- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.



Item No.	Metric		Inch	
	Length/Width		Length/Width	
F81-3616	3.6m/16mm		10ft/1/2"	
F81-5619	5.6m/19mm		16ft/3/4"	
F81-5625	5.6m/25mm		16ft/1"	
F81-8025	8m/25mm		25ft/1"	
F81-1025	10m/25mm		33ft/1"	



F67 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.

Item No.	housing dimension		Metric		Inch	
	LxWxHmm		Length/Width		Length/Width	
F67-3016	61x61x34mm		5m/19mm		16ft/3/4"	
F67-5019	61x61x34mm		5m/19mm		16ft/3/4"	
F67-5025	61x61x38mm		5m/25mm		16ft/1"	
F67-7525	70x70x38mm		7.5m/25mm		25ft/1"	
F67-1025	78x78x38mm		10m/25mm		33ft/1"	



NEW DESIGN

F98 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.


Comfortable Feel



2 stop




Double Sided Printing
It is more convenient for using with double sided printing



Metal Axis
It offers longer product life expectancy than plastic axis

Item No.	Metric	Inch
	Length/Width	Length/Width
F98-3016	3m/16mm	10ft/1 1/2"
F98-5019	5m/19mm	16ft/3/4"
F98-5025	5m/25mm	16ft/1"
F98-7525	7.5m/25mm	25ft/1"
F98-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper

NEW DESIGN

F92 Series

- High-impact ABS case.
- Compact housing, convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.

Comfortable Feel



HIGH STAND-OUT



Double Sided Printing
It is more convenient for using with double sided printing



super wear resistant

Item No.	Metric	Inch
	Length/Width	Length/Width
F92-3016	3m/16mm	10ft/1/2"
F92-5019	5m/19mm	16ft/3/4"
F92-5025	5m/25mm	16ft/1"
F92-7525	7.5m/25mm	25ft/1"
F92-1025	10m/25mm	33ft/1"



Shock Absorbing Bumper